

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**CETECOM GmbH  
Im Teelbruch 116  
45219 Essen,  
Germany**

**Date of Grant: 11/06/2017**

**Application Dated: 11/06/2017**

**RICON MOBILE INC.  
3250 Bloor Street West, Suite 655 East Tower  
TORONTO, M8X 2X9  
Canada**

**Attention: A.Kaya BAG , President**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** S9930-LTE  
**Name of Grantee:** RICON MOBILE INC.  
**Equipment Class:** PCS Licensed Transmitter  
**Notes:** Cellular Wi-Fi Router

| <u>Grant Notes</u> | <u>FCC Rule Parts</u> | <u>Frequency<br/>Range (MHZ)</u> | <u>Output<br/>Watts</u> | <u>Frequency<br/>Tolerance</u> | <u>Emission<br/>Designator</u> |
|--------------------|-----------------------|----------------------------------|-------------------------|--------------------------------|--------------------------------|
|                    | 22H                   | 826.4 - 846.6                    | 0.1225                  | 0.008 PM                       | 4M18F9W                        |
|                    | 24E                   | 1852.4 - 1907.6                  | 0.2009                  | 0.005 PM                       | 4M20F9W                        |
|                    | 27                    | 1712.4 - 1752.6                  | 0.2612                  | 0.004 PM                       | 4M20F9W                        |
|                    | 24E                   | 1850.0 - 1910.0                  | 0.1697                  | 0.005 PM                       | 2M70G7D                        |
|                    | 24E                   | 1850.0 - 1910.0                  | 0.1524                  | 0.004 PM                       | 8M96W7D                        |
|                    | 24E                   | 1850.0 - 1910.0                  | 0.1462                  | 0.005 PM                       | 17M9G7D                        |
|                    | 24E                   | 1850.0 - 1910.0                  | 0.1135                  | 0.004 PM                       | 17M9W7D                        |
|                    | 27                    | 1710.0 - 1755.0                  | 0.1879                  | 0.004 PM                       | 1M08G7D                        |
|                    | 27                    | 1710.0 - 1755.0                  | 0.1377                  | 0.004 PM                       | 1M08W7D                        |
|                    | 27                    | 1710.0 - 1755.0                  | 0.1455                  | 0.004 PM                       | 17M9G7D                        |
|                    | 27                    | 1710.0 - 1755.0                  | 0.1153                  | 0.004 PM                       | 17M9W7D                        |
|                    | 27                    | 699.0 - 716.0                    | 0.1112                  | 0.006 PM                       | 8M95G7D                        |
|                    | 27                    | 699.0 - 716.0                    | 0.1183                  | 0.014 PM                       | 2M68W7D                        |
|                    | 27                    | 699.0 - 716.0                    | 0.1178                  | 0.014 PM                       | 8M95W7D                        |

Output power listed is ERP below 1GHz for Part 22/27 and EIRP above 1GHz for Part 24/27.

This device contains functions that are not operational in U.S. Territories. This filing is only applicable for US operations.

RF exposure compliance is addressed for 1.1310 and 2.1091 MPE limits.

Integrators and End Users must be provided with transmitter operation conditions for satisfying RF exposure compliance.

This device supports LTE bandwidths of 1.4/3/5/10/15/20 MHz at LTE Band 2;  
1.4/3/5/10/15/20 MHz at LTE Band 4; 1.4/3/5/10 MHz at LTE Band 12.