

# S9922M-LTE ROUTER KONFİGÜRASYON YÜKLEME/DIŞA AKTARMA

Spintek iletisim A.S.(HQ) Ahi Evran Cad. No:1, Polaris Plaza Kat:6/32 Maslak / İstanbul / Türkiye Phone: (+90) 212 346 26 00

Ricon Mobile Inc.(HQ) 460 Brant Street Unit 300 Burlington, Ras Al Khaimah U.A.E. Ontario Canada +1 (905) 336 24 50

Ricon Mobile Inc. FZE Phone: (+97) 172 041 010 (U.A.E) Bantian Streets, Longgang District

Ricon Mobile Inc. Ltd. F5-Building 3, FengMenAo Industrial Park, Shenzhen 518129, China



## S9922M SERİSİ LTE ROUTER MODELLERİ - KONFİGÜRASYON YÜKLEME/KAYDETME

#### BAŞLAMADAN ÖNCE:

- Cihaz kullanıcı bilgileri: IP: http://192.168.8.1
- Kullanıcı adı : admin Parola : admin

### 1) S9922M LTE KONFİGÜRASYON YÜKLEME

Elinizde var olan bir S9922M serisi LTE router konfigurasyonunu cihaza aktarmak için yapılması gerekenler aşağıdaki gibidir:

**NOT:** Cihaza import edilecek konfigurasyon dosya uzantısı "cli" olmalıdır.

- 1. System>Files sekmesinden aşağıdaki sayfayı açın.
- 2. Backup setting Import kısmından yüklenecek konfigurasyoun dosyasını seçin
- 3. Reboot'a tıklayın.

RI	CON a	onnecting	Machine	Contro	l Panel			Build time: 180116-145703 Time: Tue Jan 16 15:45:50 2018			
Network	Applications	VPN	Forward	Security	System	Status					
Local Log	Remote Log	Clock	Account	Network Test	Files						
								Help			
Firmwa Ch Backup	re Setting DOSE YC	Dosya Dur Co Dosya	seç Dosya Onfig	file(xx	Upgrad X.CII)	e 📄 Reset	Key	Note: Select the firmware file (.trx) used to upgrade, then click the 'Upgrade' button. Warning: This upgrading may take a few minutes, please do not allow device to lose power. The capacity of system for upgrading is limited to 1M. Make sure your size of upload firmware file less than 10M.			
Factory	setting	Save	Load					Backup Settings:			
Patch C	peration Patch Nar	You may backup your current configuration in case you need to reset the router back to its factory default settings. If you add a key export configuration will be encrypted, please ensure that the imported key is correct.									

Cihaz yeniden başladıktan sonra istediğiniz konfigürasyon dosyasını cihaza yüklemiş olacaksınız.

## S9922M SERİSİ LTE ROUTER MODELLERİ - KONFİGÜRASYON YÜKLEME/KAYDETME

## 2) S9922M LTE KONFİGÜRASYONU DIŞA AKTARIM

- 1. System>Files sekmesinden aşağıdaki sayfayı açın.
- 2. Backup setting Export'a tıklayarak cihazın içerisinde bulunan konfigurasyonu dışa aktarabilirsiniz.

RI	CON a	nnecting Machine	Contro	ol Panel			Build time: 180116-145703 Time: Tue Jan 16 15:45:50 2018			
Network	Applications	VPN Forwar	d Security	System	Status					
Local Log	Remote Log	Clock Account	Network Test	Files						
							Help			
Firmwa selec Backup	re Setting <b>t where</b> setting	Dosya Seç Do YOU Wa Dosya Seç Do	sya seçilmedi <b>nt to d</b> s <b>i</b> seçilmedi	Upgra OWNI Import	se Rese Dad t	t he file κεγ	Note: Select the firmware file (.trx) used to upgrade, then click the 'Upgrade' button. Warning: This upgrading may take a few minutes, please do not allow device to lose power. The capacity of system for upgrading is limited to 1M. Make sure your size of upload firmware file less than 10M.			
Factory	setting	Save Load					Backup Settings:			
Patch	peration Patch Nan	You may backup your current configuration in case you need to reset the router back to its factory default settings. If you add a key export configuration will be encrypted, please ensure that the imported key is correct.								

Kısa süreli bir beklemeden sonra konfigürasyon dosyanızı "bin" uzantılı olarak bilgisayarınıza indirmiş olacaksınız.